


APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

2/11



09053872.040198

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

3/11

FIXai

Heparin

FIG. 3A





FIG. 3B

FIG. 3C





FIG. 3D

FIG. 3E





FIG. 3F

FIG. 3G





FIG. 3H

005302 0409 86T040 248E9060

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

4/11

FIG. 4A





FIG. 4B



0053872 040198

APPROVED	D.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

5/11

FIG. 4C





FIG. 4D




0053872-040198

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

6/11

FIG. 4E



09053872 040198

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


85T040" 248E5060

FIG. 5A

FIX deficient Plasma
 +
 Celite
 ↓ ∇
 Human Plasma
 +
 Cephalin
 +
 CaCL
 ↓ ∇
 Clot

7/11

FIG. 5B




APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

8/11

FIG. 6A

Time to Hemostasis:




090537.040198
851040 2/8/5060

APPROVED	C. G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

9/11

FIG 6B


Blood loss :



APPROVED	C.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

10/11

FIG. 7




09053872-040193

APPROVED	D.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

11/11

FIG. 8



0905387 040190 2485960